

Listino prezzi **settembre 2024** IVA inclusa



**SHUNYATA** RESEARCH

Power Distributors | Power Cables | Signal Cables | Accessories

**LPAUDIO**

[www.lpaudio.it](http://www.lpaudio.it) - [info@lpaudio.it](mailto:info@lpaudio.it)

# Contents

General Information

Ordering Information

Power Cable Connectors

Power Cables

Power Distributor Power Cables

Specialty Cables

Power Distributors

Interconnects

Speaker Cables

Digital Cables

Accessories

Grounding Products

## General Information

### Shipping Policy

All products ship F.O.B. from Poulsbo, WA. All shipping costs are the responsibility of the dealer/distributor. Products are shipped via UPS unless otherwise specified. Shunyata Research does not drop-ship products except under prearranged agreements. Please contact the factory directly for more information regarding drop shipments.

### Transshipping

Shunyata Research understands that dealers and distributors have made a significant investment in their respective regional markets. Transshipping, or shipping product into the market of another established dealer, is strictly forbidden.

### Warranty

Shunyata Research offers Limited Warranties to the original purchaser for products purchased in the US and Canada. For further details regarding product warranties, please see the accompanying warranty sheet included in the product packaging or contact Shunyata Research directly. Warranties outside of the US and Canada are covered by the respective distributor for that country. Shunyata Research will provide support to the distributor for warranty issues.

### Service

Shunyata Research builds products to withstand years of usage, but we realize that sometimes a product may need servicing. Please contact Shunyata Customer Service to request an RMA. Please have the product model, serial number and purchase details available.

**You must obtain an RMA before returning any product to the factory.**

**Note: Due to stringent manufacturing processes and proprietary assembly techniques, Shunyata Research products are not field-serviceable. Shunyata Research does not authorize servicing of its products by any third parties. Any attempts to service or alter a Shunyata Research product will void any and all warranties.**

### Upgrades

From time to time, Shunyata Research may offer product upgrades that will require the return of the product to the factory. Please contact Customer Service for further information and instructions regarding specific product upgrades. Shipping (both ways) for all factory-performed upgrades is the responsibility of the owner.

**You must obtain an RMA before returning any product to the factory.**

### Advertising

Any Shunyata Research product advertised or published in print or online must always be priced at MSRP. Any items that are discounted or discontinued may not be advertised at a price below MSRP without prior permission from Shunyata Research.

## Ordering Information

Speaker cables and interconnects are priced **per pair**. Power cables and digital cables are priced **per cable**.

All cables are priced at a standard length, as indicated per model. Additional length may be added. Note that the pricing for additional length is per 0.25 meter. Cable lengths shorter than the listed standard length are priced the same as the base length cables.

### When ordering speaker cables:

Speaker cable terminations must be selected for each speaker cable order. Two terminations are required: one for the amplifier end and one for the speaker end. For biwire speaker cables, three terminations are required: one for the amplifier end and two for the speaker end. Please make certain to specify all terminations to avoid any delays to your order.

### When ordering phono cables:

Shunyata Research phono cables include a pair of single-ended (RCA) cables with a matched **ground cable** with multi-spade terminations. When ordering phono cables, please also indicate terminations for both the source and destination ends of the ground cable. Termination options include: combo spade (brass), small spade (copper), medium spade (copper), spade (gold; additional cost on Venom), and banana (gold; additional cost on Venom).

Please note when ordering **USB cables**: the minimum length is 1.5 meters, and the maximum length is 5 meters.

### When ordering power distributors:

Shunyata Research power distributors do NOT ship with a power cable (except where noted). All power distributors, with the exception of the Gemini Model-4, have a C20 power inlet. Please order a C19 power cable for each power distributor.



## Power Cable Connectors

Shunyata Research offers a number of terminations for power cables; please see the description and part number under each model listing for available terminations. Shunyata also manufactures a variety of adapters to convert ONE power cable to another connector type. Adapters are listed under 'Accessories' on page 19.

C5



C7



C7P



*Female: C13 // C15  
Male: C14*



*Female: C19  
Male: C20*



## Power Cables

For Power Cable and Mini Adapters  
please go to 'Accessories' on page 19.



### Venom Line -EU

<b>Venom HC v2</b> molded		<b>€600</b> C15 1.5m PC-VNM/M-VHC-V2-EU/C15		
<b>Venom HC v2</b> custom		<b>€750</b> C15 1.75m PC-VNM-VHC-V2-CUST/C15	<b>€750</b> C19 1.75m PC-VNM-VHC-V2-CUST/C19	additional length <b>€50</b> /0.25m PC-VNM-VHC-V2-EU/LEN
<b>Venom V10 NR</b>	1.75m	<b>€950</b> C15 PC-VNM-V10/NR-EU/C15	<b>€950</b> C19 PC-VNM-V10/NR-EU/C19	additional length <b>€60</b> /0.25m PC-VNM-V10/NR-EU-LEN
<b>Venom-X EF</b>	1.75m	<b>€1.100</b> C15 PC-VNM-X/EF-EU-C15		additional length <b>€63</b> /0.25m PC-VNM-X/EF-EU-LEN

**NR power cables reduce power line noise.**

### NR Reference Series -EU

<b>Delta v2 NR</b>	1.75m	<b>€1.900</b> C15 PC-DLT/NR-V2-EU/C15	<b>€1.900</b> C19 PC-DLT/NR-V2-EU/C19	additional length <b>€95</b> /0.25m PC-DLT/NR-EU-LEN
<b>Alpha v2 NR</b>	1.75m	<b>€3.150</b> C15 PC-ALP/NR-V2-EU/C15	<b>€3.150</b> C19 PC-ALP/NR-V2-EU/C19	additional length <b>€140</b> /0.25m PC-ALP/NR-EU-LEN
<b>Sigma v2 NR</b>	1.75m	<b>€4.500</b> C15 PC-SIG/NR-V2-EU/C15	<b>€4.500</b> C19 PC-SIG/NR-V2-EU/C19	additional length <b>€200</b> /0.25m PC-SIG/NR-EU-LEN
<b>Omega QR</b>	2.0m	<b>€11.500</b> C15 PC-OMG/QR-EU/C15	<b>€11.500</b> C19 PC-OMG/QR-EU/C19	additional length <b>€550</b> /0.25m PC-OMG/QR-EU-LEN
<b>Omega QR-s</b>	2.0m	<b>€9.500</b> C15 PC-OMG/QRs-EU/C15	<b>€9.500</b> C19 PC-OMG/QRs-EU/C19	additional length <b>€450</b> /0.25m PC-OMG/QRs-EU-LEN

**NR and QR power cables reduce power line noise.**

**Note:** Standard color theme for the Alpha and Sigma models is a black carbon with silver trim.  
Optional themes that are available: Black/Gold & Red/Gold & Red/Silver.  
The standard Omega color theme is grey and platinum trim.  
(Optionally available in Black/Gold theme, comes with default gold AC plug.)

## Power Distributor Power Cables

### XC Line -EU

### For Power Distributors

<b>Delta XC</b>	1.75m	<b>€1.780</b> C15 PC-DLT/XC-EU/C15	<b>€1.780</b> C19 PC-DLT/XC-EU/C19	additional length <b>€95</b> /0.25m PC-DLT/XC-EU-LEN
<b>Alpha XC</b>	1.75m	<b>€2.900</b> C15 PC-ALP/XC-EU/C15	<b>€2.900</b> C19 PC-ALP/XC-EU/C19	additional length <b>€140</b> /0.25m PC-ALP/XC-EU-LEN
<b>Sigma XC</b>	1.75m	<b>€4.100</b> C15 PC-SIG/XC-EU/C15	<b>€4.100</b> C19 PC-SIG/XC-EU/C19	additional length <b>€200</b> /0.25m PC-SIG/XC-EU-LEN
<b>Omega XC</b>	1.75m	<b>€8.750</b> C15 PC-OMG/XC-EU/C15	<b>€8.750</b> C19 PC-OMG/XC-EU/C19	additional length <b>€450</b> /0.25m PC-OMG/XC-EU-LEN

**XC power cables are specifically designed for Shunyata power distributors.**

**Note:** Standard color theme for the Alpha and Sigma models is a black carbon with silver trim.

Optional themes that are available: Black/Gold & Red/Gold & Red/Silver.

The standard Omega color theme is grey and platinum trim.

(Optionally available in Black/Gold theme, comes with default gold AC plug.)

# Power Distributor Power Cables


For Power Cable and Mini Adapters  
please go to 'Accessories' on page 19.

## Specialty Power Cables -EU

<b>VENOM-X EF*</b> super flexible, compact IEC	1.75m	<b>€1.250</b> C15 PC-VNM-X/EF-EU-C15	additional length <b>€65/0.25m</b> PC-VNM-X/EF-EU-LEN
<b>TT2 Performance Umbilical</b> C19/amphenol	0.50m (1m max length)	<b>€1.100</b> PC-TT2/VTX-UMBI	additional length <b>€125/0.25m</b> PC-TT2/VTX-UMBI/LEN
<b>TT2 Reference Umbilical</b> C19/amphenol	0.50m (1m max length)	<b>€1.800</b> PC-TT2/VTX-Ag-UMBI	additional length <b>€180/0.25m</b> PC-TT2/VTX-Ag-UMBI/LEN
<b>TT2 T30 Umbilical</b> T30 model	0.50m (1m max length)	<b>€2.200</b> PC-T30-UMBI/6AG	additional length <b>€220/0.25m</b> PC-T30-UMBI/LEN
<b>TT2 Performance (out)</b> performance, amplifiers	1.75m	<b>€1.500</b> PC-TT2-OUT/8VTX	additional length <b>€130/0.25m</b> PC-TT2-OUT-8VTX/LEN
<b>TT2 Reference (out)</b> reference, amplifiers	1.75m	<b>€2.200</b> PC-TT2-OUT/8AG	additional length <b>€190/0.25m</b> PC-TT2-OUT-8AG/LEN
<b>TT2 T30C (out)</b> T2 and T30 model, amplifiers	1.75m	<b>€2.900</b> PC-T30-OUT/6AG	additional length <b>€230/0.25m</b> PC-T30-OUT-6AG/LEN
<b>TT2 T30P (in)</b> wall to T30 only	1.75m	<b>€2.900</b> PC-T30/P-EU	additional length <b>€230/0.25m</b> PC-T30P/LEN
<b>PC Boulder</b> special amplifier power cable	1.75m	<b>€3.700</b> PC-T30/BLD	additional length <b>€230/0.25m</b> PC-T30-BLD/LEN
<b>PC D'Agostino</b> special amplifier power cable	1.75m	<b>€3.700</b> PC-T30/DAG	additional length <b>€230/0.25m</b> PC-T30-DAG/LEN


\*VENOM -X available color option: black.

**OUT  
Cable**





Amphenol

**Boulder  
Cable**




330306 IEC

**IN  
Cable**



Amphenol

**D'Agostino  
Cable**



L1430-C



www.lpaudio.it - info@lpaudio.it

## Power Distributors

## Venom Line -EU



<b>Venom V6</b>	240V	<b>€3.900</b> <i>aluminum/silver</i> PD-VNM-V6-EU/240	<b>€250</b> <i>rackmount faceplate option</i> VNM-RM-V6	6 SCHUKO (CEE7) outlets
-----------------	------	--	--	----------------------------

## Performance Series -EU

<b>Gemini Model-4</b>	240V	<b>€4.000</b> <i>aluminum/silver</i> PD-GEM4-EU/240		4 SCHUKO (CEE7) outlets
<b>Gemini Model-7</b>	240V	<b>€5.900</b> <i>aluminum/silver</i> PD-GEM7-EU/240		7 SCHUKO (CEE7) outlets
<b>Hydra Delta D6</b>	240V	<b>€5.900</b> <i>aluminum/silver</i> PD-EIG/T-EU/240		6 SCHUKO (CEE7) outlets
<b>Eiger 6T</b>	240V	<b>€8.400</b> <i>aluminum/silver</i> PD-EIG/T-EU/240		6 SCHUKO (CEE7) outlets

## Reference Series -EU

<b>Denali 6000/S v2</b>	240V	<b>€10.000</b> <i>black</i> PD-DEN-D6S/B-EU/240	<b>€10.000</b> <i>silver</i> PD-DEN-D6S/S-EU/240	6 SCHUKO (CEE7) outlets
<b>Typhon T2</b>	240V	<b>€9.250</b> <i>black</i> PD-TYP-T2/B-EU/240-20	<b>€9.250</b> <i>silver</i> PD-TYP-T2/S-EU/240-20	2 SCHUKO (CEE7) outlets
<b>Everest 8000</b>	240V	<b>€16.700</b> <i>black</i> PD-EVE-E8/B-EU/240	<b>€16.700</b> <i>silver</i> PD-EVE-E8/S-EU/240	8 SCHUKO (CEE7) outlets

**Note:** Power distributors do **NOT** ship with a power cord. A separate power cord with C19 (C15 for Gemini Model-4) termination is required. See XC power cables for recommended cables.

## Interconnects


Shunyata Research phono cables include a pair of single-ended (RCA) cables with a Venom CGC ground cable included, with multi-spade terminations. **When ordering phono cables, please also indicate terminations for both the source and destination ends of the ground cable.** Termination options include: combo spade (brass), small spade (copper), medium spade (copper), spade (gold; additional cost), and banana (gold; additional cost). All of the above does not pertain to the Omega Phono ground cable.

Venom Line -Cable Pairs			(priced as pairs)	
Venom RCA	€760 1.0m VNM-RCA-100	additional length €50 /0.25m VNM-RCA-LEN		
Venom RCA Phono	€1.000 1.0m VNM-PHO-100	additional length €60 /0.25m VNM-PHO-LEN		
Venom XLR	€1.100 1.0m VNM-XLR-100	additional length €70 /0.25m VNM-XLR-LEN		
VENOM-X Line			(priced as pairs)	
VENOM-X RCA	€1.250 1.0m VNM-X-RCA-100	additional length €65 /0.25m VNM-X-RCA-LEN		
VENOM-X RCA Phono	€1.580 1.0m VNM-X-PHO-100	additional length €90 /0.25m VNM-X-PHO-LEN		
VENOM-X XLR	€1.500 1.0m VNM-X-XLR-100	additional length €80 /0.25m VNM-X-XLR-LEN		
Delta Line			(priced as pairs)	
Delta v2 RCA	€1.395 1.0m DLT-RCA-V2-100	additional length €95 /0.25m DLT-RCA-LEN		
Delta v2 RCA Phono	€2.200 1.0m DLT-PHO-V2-100	additional length €115 /0.25m DLT-PHO-LEN		
Delta v2 XLR	€2.280 1.0m DLT-XLR-V2-100	additional length €115 /0.25m DLT-XLR-LEN		
Alpha Line			(priced as pairs)	
Alpha v2 RCA	€3.800 1.0m ALP-RCA-V2-100	additional length €115 /0.25m ALP-RCA-LEN		
Alpha v2 RCA Phono	€4.100 1.0m ALP-PHO-V2-100	additional length €130 /0.25m ALP-PHO-LEN		
Alpha v2 XLR	€4.420 1.0m ALP-XLR-V2-100	additional length €130 /0.25m ALP-XLR-LEN		



## Interconnects

Shunyata Research phono cables include a pair of single-ended (RCA) cables with a Venom CGC ground cable included, with multi-spade terminations. **When ordering phono cables, please also indicate terminations for both the source and destination ends of the ground cable.** Termination options include: combo spade (brass), small spade (copper), medium spade (copper), spade (gold; additional cost), and banana (gold; additional cost). All of the above does not pertain to the Omega Phono ground cable.

Sigma Line		(priced as pairs)	
<b>Sigma v2 RCA</b>	<b>€5.700</b> 1.0m SIG-RCA-V2-100	additional length <b>€120</b> /0.25m SIG-RCA-LEN	
<b>Sigma v2 RCA Phono</b>	<b>€6.000</b> 1.0m SIG-PHO-V2-100	additional length <b>€140</b> /0.25m SIG-PHO-LEN	
<b>Sigma v2 XLR</b>	<b>€6.300</b> 1.0m SIG-XLR-V2-100	additional length <b>€140</b> /0.25m SIG-XLR-LEN	


Omega Line		(priced as pairs)	
<b>Omega RCA</b>	<b>€12.000</b> 1.0m OMG-RCA-100	additional length <b>€500</b> /0.25m OMG-RCA-LEN	
<b>Omega RCA Phono</b>	<b>€13.250</b> 1.0m OMG-PHO-100	additional length <b>€550</b> /0.25m OMG-PHO-LEN	
<b>Omega XLR</b>	<b>€12.000</b> 1.0m OMG-XLR-100	additional length <b>€500</b> /0.25m OMG-XLR-LEN	

**Note:** Standard color theme for the Omega interconnects is grey with platinum trim.  
The default connector for this theme is platinum-plated.  
Optional themes that are available: Black/Gold which comes with default gold-plated connectors.

# Speaker Cables

When ordering speaker cables, please select one termination for the amplifier end of the cable and one termination for the speaker end of the cable. If you are ordering bi-wire cables, please select two terminations for the speaker end of the cable and when ordering tri-wire cables, please select three terminations for the speaker end of the cable. There are two termination options available: pure OFE copper terminals or gold-plated OFE copper terminals. Please be aware that the pure, non-plated copper terminals do require occasional cleaning to maintain maximum performance. The gold-plated terminals do not require maintenance. Please make certain to specify all terminations to avoid any delays to your order.

VENOM-X Line



VENOM-X Speaker*	€2.500 2.0m VNM-X-SP-200	€2.700 2.5m VNM-X-SP-250	additional length €100 /0.25m VNM-X-SP-LEN
VENOM-X Speaker Bi-Wire*	€3.150 2.0m VNM-X-SP/BI-200	€3.300 2.5m VNM-X-SP/BI-250	additional length €100 /0.25m VNM-X-SP/BI-LEN
VENOM-X Jumper*	€750 0.25m VNM-X-JMP-025		additional length €95 /0.25m VNM-X-JMP-LEN

TERMINATIONS	Source	Destination
STIS v3 (TM-STIS3/BASE)	<input type="checkbox"/> 4mm-6mm Combo	<input type="checkbox"/> 4mm-6mm Combo
STIS v3 (TM-STIS3/BASE)	<input type="checkbox"/> 6mm-8mm Combo	<input type="checkbox"/> 6mm-8mm Combo
STIS v3 (TM-STIS3/BASE)	<input type="checkbox"/> Banana	<input type="checkbox"/> Banana

\*VENOM -X available color option: black.

Delta Line



Delta v2 Speaker	€3.800 2.0m DLT-SP-V2-200	€4.000 2.5m DLT-SP-V2-250	additional length €140 /0.25m DLT-SP-LEN
Delta v2 Speaker Bi-wire	€4.400 2.0m DLT-SP/BI-V2-200	€4.700 2.5m DLT-SP/BI-V2-250	additional length €140 /0.25m DLT-SP/BI-LEN
Delta v2 Jumper	€1.200 0.25m DLT-JMP-V2-025		additional length €130 /0.25m DLT-JMP-LEN

TERMINATIONS	Source	Destination
STIS v3 (TM-STIS3/BASE)	<input type="checkbox"/> 4mm-6mm Combo	<input type="checkbox"/> 4mm-6mm Combo
STIS v3 (TM-STIS3/BASE)	<input type="checkbox"/> 6mm-8mm Combo	<input type="checkbox"/> 6mm-8mm Combo
STIS v3 (TM-STIS3/BASE)	<input type="checkbox"/> Banana	<input type="checkbox"/> Banana

## Speaker Cables

When ordering speaker cables, please select one termination for the amplifier end of the cable and one termination for the speaker end of the cable. If you are ordering bi-wire cables, please select two terminations for the speaker end of the cable and when ordering tri-wire cables, please select three terminations for the speaker end of the cable. There are two termination options available: pure OFE copper terminals or gold-plated OFE copper terminals. Please be aware that the pure, non-plated copper terminals do require occasional cleaning to maintain maximum performance. The gold-plated terminals do not require maintenance. Please make certain to specify all terminations to avoid any delays to your order.

### Alpha Line



<b>Alpha v2 Speaker</b>	<b>€6.300</b> 2.0m ALP-SP-V2-200	<b>€6.850</b> 2.5m ALP-SP-V2-250	additional length <b>€280</b> /0.25m ALP-SP-LEN
<b>Alpha v2 Speaker Bi-wire</b>	<b>€7.500</b> 2.0m ALP-SP/BI-V2-200	<b>€8.100</b> 2.5m ALP-SP/BI-V2-250	additional length <b>€280</b> /0.25m ALP-SP/BI-LEN
<b>Alpha v2 Jumper</b>	<b>€1.250</b> 0.25m ALP-JMP-V2-025		additional length <b>€280</b> /0.25m ALP-JMP-LEN

TERMINATIONS	Source		Destination	
	Amp Spades	Amp Bananas	Speaker Spades	Speaker Bananas
Gold (standard)	ALP-TM/AMP-AU/SP	ALP-TM/AMP-AU/BN	ALP-TM/SPK-AU/SP	ALP-TM/SPK-AU/BN
Copper (option)	ALP-TM/AMP-CU/SP	ALP-TM/AMP-CU/BN	ALP-TM/SPK-CU/SP	ALP-TM/SPK-CU/BN
STIS v3 (option)	6mm-8mm Combo	Banana	6mm-8mm Combo	Banana
STIS v3 (option)	4mm-6mm Combo		4mm-6mm Combo	

### Sigma Line



<b>Sigma v2 Speaker</b>	<b>€12.500</b> 2.0m SIG-SP-V2-200	<b>€13.500</b> 2.5m SIG-SP-V2-250	additional length <b>€480</b> /0.25m SIG-SP-LEN
<b>Sigma v2 Speaker Bi-wire</b>	<b>€15.000</b> 2.0m SIG-SP/BI-V2-200	<b>€16.000</b> 2.5m SIG-SP/BI-V2-250	additional length <b>€480</b> /0.25m SIG-SP/BI-LEN
<b>Sigma v2 Speaker Tri-Wire</b>	<b>€17.700</b> 2.0m SIG-SP/TRI-V2-200	<b>€18.600</b> 2.5m SIG-SP/TRI-V2-250	additional length <b>€480</b> /0.25m SIG-SP/TRI-LEN
<b>Sigma v2 Jumper</b>	<b>€2.200</b> 0.25m SIG-JMP-V2-025		additional length <b>€400</b> /0.25m SIG-JMP-LEN

TERMINATIONS	Source		Destination	
	Amp Spades	Amp Bananas	Speaker Spades	Speaker Bananas
Gold (standard)	SIG-TM/AMP-AU/SP	SIG-TM/AMP-AU/BN	SIG-TM/SPK-AU/SP	SIG-TM/SPK-AU/BN
Copper (option)	SIG-TM/AMP-CU/SP	SIG-TM/AMP-CU/BN	SIG-TM/SPK-CU/SP	SIG-TM/SPK-CU/BN
STIS v3 (option)	6mm-8mm Combo	Banana	6mm-8mm Combo	Banana
STIS v3 (option)	4mm-6mm Combo		4mm-6mm Combo	



# Speaker Cables

When ordering speaker cables, please select one termination for the amplifier end of the cable and one termination for the speaker end of the cable. If you are ordering bi-wire cables, please select two terminations for the speaker end of the cable and when ordering tri-wire cables, please select three terminations for the speaker end of the cable. There are two termination options available: pure OFE copper terminals or gold-plated OFE copper terminals. Please be aware that the pure, non-plated copper terminals do require occasional cleaning to maintain maximum performance. The gold-plated terminals do not require maintenance. Please make certain to specify all terminations to avoid any delays to your order.

Omega Line			
Omega Speaker	€31.500 2.5m OMG-SP/S-250	€31.500 2.5m OMG-SP/B-250	additional length €2.400 /0.50m OMG-SP-LEN
Omega Speaker Bi-Wire	€34.700 2.5m OMG-SP/S-BI-250	€34.700 2.5m OMG-SP/B-BI-250	additional length €2.400 /0.50m OMG-SP-BI-LEN
Omega Speaker Tri-Wire	€36.500 2.5m OMG-SP/S-TRI-250	€36.500 2.5m OMG-SP/B-TRI-250	additional length €2.400 /0.50m OMG-SP-TRI-LEN
Omega Jumper	€2.500 0.25m OMG-JMP-250		additional length €400 /0.25m OMG-JMP-LEN

TERMINATIONS	Source (choose ONE)		Destination	
	Amp Spades	Amp Bananas	Speaker Spades	Speaker Bananas
Copper	OMG-TM/AMP-CU/SP	OMG-TM/AMP-CU/BN	OMG-TM/SPK-CU/SP	OMG-TM/SPK-CU/BN
Gold	OMG-TM/AMP-AU/SP	OMG-TM/AMP-AU/BN	OMG-TM/SPK-AU/SP	OMG-TM/SPK-AU/BN
Platinum	OMG-TM/AMP-PL/SP	OMG-TM/AMP-PL/BN	OMG-TM/SPK-PL/SP	OMG-TM/SPK-PL/BN

**Note:** Standard color theme for the Omega speaker cables is grey with platinum trim.  
The default connector for this theme is platinum-plated.  
Optional themes that are available: Black/Gold which comes with default gold-plated connectors.

# Digital Cables

## VENOM-X Line



<b>VENOM-X AES/EBU</b>	<b>€700</b> 1.0m VNM-X-AES-100	additional length <b>€45</b> /0.25m VNM-X-AES-LEN
<b>VENOM-X S/PDIF</b>	<b>€650</b> 1.0m VNM-X-SDF-100	additional length <b>€40</b> /0.25m VNM-X-SDF-LEN
<b>VENOM-X Clock-75</b>	<b>€760</b> 1.0m VNM-X-CLC/75-100	additional length <b>€40</b> /0.25m VNM-X-CLC/75-LEN
<b>VENOM-X USB *</b>	<b>€760</b> 1.5m VNM-X-USB-150	additional length <b>€60</b> /0.25m VNM-X-USB-LEN
<b>VENOM-X Ethernet *</b>	<b>€650</b> 1.5m VNM-X-ETH-150	additional length <b>€30</b> /0.25m VNM-X-ETH-LEN

## Delta Line



<b>Delta v2 AES/EBU</b>	<b>€1.150</b> 1.0m DLT-AES-V2-100	additional length <b>€60</b> /0.25m DLT-AES-LEN
<b>Delta v2 /SPDIF</b>	<b>€950</b> 1.0m DLT-SDF-V2-100	additional length <b>€50</b> /0.25m DLT-SDF-LEN
<b>Delta v2 Clock-50</b>	<b>€1.100</b> 1.0m DLT-CLC/50-V2-100	additional length <b>€65</b> /0.25m DLT-CLC/50-LEN
<b>Delta v2 Clock-75</b>	<b>€950</b> 1.0m DLT-CLC/75-V2-100	additional length <b>€50</b> /0.25m DLT-CLC/75-LEN
<b>Delta USB *</b>	<b>€950</b> 1.5m DLT-USB/150	additional length <b>€70</b> /0.25m DLT-USB-LEN
<b>Delta Ethernet *</b>	<b>€1.100</b> 1.5m DLT-ETH-150	additional length <b>€30</b> /0.25m DLT-ETH-LEN

**\*Note:** When ordering USB cables, the minimum length is 1.5 meters and the maximum length is 5 meters.  
When ordering Ethernet cables, the minimum length is 1.5 meters.  
\*VENOM-X available color option: black.



## Digital Cables



### Alpha Line

<b>Alpha v2 AES/EBU</b>	<b>€2.200</b> 1.0m ALP-AES-v2-100	additional length <b>€63</b> /0.25m ALP-AES-LEN
<b>Alpha v2 S/PDIF</b>	<b>€1.900</b> 1.0m ALP-SDF-v2-100	additional length <b>€60</b> /0.25m ALP-SDF-LEN
<b>Alpha v2 Clock-50</b>	<b>€2.000</b> 1.0m ALP-CLC/50-v2-100	additional length <b>€70</b> /0.25m ALP-CLC/50-LEN
<b>Alpha v2 Clock-75</b>	<b>€1.900</b> 1.0m ALP-CLC/75-v2-100	additional length <b>€60</b> /0.25m ALP-CLC/75-LEN
<b>Alpha USB *</b>	<b>€2.300</b> 1.5m ALP-USB-150	additional length <b>€140</b> /0.25m ALP-USB-LEN
<b>Alpha Ethernet *</b>	<b>€1.600</b> 1.5m ALP-ETH-150	additional length <b>€35</b> /0.25m ALP-ETH-LEN



### Sigma Line

<b>Sigma v2 AES/EBU</b>	<b>€3.160</b> 1.0m SIG-AES-V2-100	additional length <b>€70</b> /0.25m SIG-AES-LEN
<b>Sigma v2 S/PDIF</b>	<b>€2.850</b> 1.0m SIG-SDF-V2-100	additional length <b>€65</b> /0.25m SIG-SDF-LEN
<b>Sigma v2 Clock-50</b>	<b>€3.100</b> 1.0m SIG-CLC/50-V2-100	additional length <b>€75</b> /0.25m SIG-CLC/50-LEN
<b>Sigma v2 Clock-75</b>	<b>€2.850</b> 1.0m SIG-CLC/75-V2-100	additional length <b>€65</b> /0.25m SIG-CLC/75-LEN
<b>Sigma USB *</b>	<b>€3.160</b> 1.5m SIG-USB-150	additional length <b>€170</b> /0.25m SIG-USB-LEN
<b>Sigma Ethernet *</b>	<b>€2.530</b> 1.5m SIG-ETH-150	additional length <b>€35</b> /0.25m SIG-ETH-LEN

**\*Note:** When ordering USB cables, the minimum length is 1.5 meters and the maximum length is 5 meters.  
When ordering Ethernet cables, the minimum length is 1.5 meters.



## Digital Cables

### Omega Line



<b>Omega AES/EBU</b>	<b>€4.750</b> 1.25m OMG-AES-125	additional length <b>€285</b> /0.25m OMG-AES-LEN
<b>Omega S/PDIF</b>	<b>€4.500</b> 1.25m OMG-SDF-125	additional length <b>€200</b> /0.25m OMG-SDF-LEN
<b>Omega Clock-50</b>	<b>€4.700</b> 1.25m OMG-CLC/50-125	additional length <b>€220</b> /0.25m OMG-CLC/50-LEN
<b>Omega Clock-75</b>	<b>€4.500</b> 1.25m OMG-CLC/75-125	additional length <b>€200</b> /0.25m OMG-CLC/75-LEN
<b>Omega USB *</b>	<b>€4.500</b> 1.5m OMG-USB-150	additional length <b>€180</b> /0.25m OMG-USB-LEN
<b>Omega Ethernet *</b>	<b>€3.800</b> 1.5m OMG-ETH-150	additional length <b>€35</b> /0.25m OMG-ETH-LEN

**\*Note:** When ordering USB cables, the minimum length is 1.5 meters and the maximum length is 5 meters.

When ordering Ethernet cables, the minimum length is 1.5 meters.

Omega digital cables are available in the standard Grey Carbon/Platinum theme or with Black Carbon/Gold theme.

Please note that for the Omega AES and SPDIF cables,  
selecting the Black Carbon/Gold theme also includes gold plated connectors.



[www.lpaudio.it](http://www.lpaudio.it) - [info@lpaudio.it](mailto:info@lpaudio.it)

## Accessories

### Dark Field Suspension

*Cable Suspension System*

<b>DF-SS</b> Dark Field Suspension System	<b>€300/ea</b> ACC-DFSS	<b>€1.500</b> set of 6 ACC-DFSS-PK6	cable elevators
<b>Möbius Cable Suspension</b> black or grey	<b>€420/ea</b> ACC-MCS	<b>€2.100</b> set of 6 ACC-MCS-PK6	cable elevators
<b>DFE-Mini</b> Dark Field Mini	<b>€250</b> set of 12 ACC-DFE-PK12		cable separation accessory

### Stainless Steel Isolation Foot

<b>SSF 38mm</b>	<b>€750</b> set of 4 ACC-SSF38/S	fits: Venom PS8, Venom V16, Venom V6, Delta D6, Typhon v1, Denali 6000/S v1 and v2, Typhon T2, Typhon T30, Gemini-4, Gemini-8, Altaira, Eiger 6T	
<b>SSF 50mm</b>	<b>€930</b> set of 4 ACC-SSF50	fits: Alpha A12, Gemini Model-7 Sigma S12, Denali 6000/T, Everest, Triton, Typhon QR	

### Venom V14 Mini Power Cable Adapters

<b>Venom V14 C14 - C5</b>	<b>€130</b> PC-VNM/M-V14-C14/C5	converts standard IEC to mini C5 type	 length: 10" 250 mm
<b>Venom V14 C14 - C7</b>	<b>€130</b> PC-VNM/M-V14-C14/C7	converts standard IEC to mini C7 type	 length: 10" 250 mm
<b>Venom V14 C14 - C7P</b>	<b>€130</b> PC-VNM/M-V14-C14/C7P	converts standard IEC to mini C7P type	 length: 10" 250 mm

### Power Cable Adapters

<b>Universal Power Adapter</b>	<b>€85</b> ACC-ADP-C14/C13	for components with obstructed AC power entrance
<b>SR-Z C14-C19</b>	<b>€420</b> ACC-ADP-C14/C19	converts standard C15 power cable to C19 to connect to a power distributor
<b>SR-Z C20-C15</b>	<b>€465</b> ACC-ADP-C20/C15	converts C19 power cable to standard C15

# Altaira Ground Systems

## Altaira -Noise Reduction Hubs

<b>Altaira CG-NR Hub</b> chassis ground center	<b>€5.000</b> <i>aluminum/silver</i> GP-NRC-ALT/S-M6	<b>€5.000</b> <i>aluminum/black</i> GP-NRC-ALT/B-M6	6 grounding posts (CGC)
<b>Altaira SG-NR Hub</b> signal ground center	<b>€5.000</b> <i>aluminum/silver</i> SP-NRC-ALT/S-M6	<b>€5.000</b> <i>aluminum/black</i> SP-NRC-ALT/B-M6	6 grounding posts (SGC)

## Grounding Cables

### Ground Cable Base


Each ground cable includes two STIS v3 terminals; a banana and a spade.  
If your destination component requires an RCA, XLR or other special terminal, select a tail from "Ground Tail" section.

<b>Venom Ground Cable Base</b>	<b>€420</b> <i>1.0m</i> GRD-VNM-BASE	additional length <b>€35</b> /0.25m GRD-VNM-LEN
<b>Delta Ground Cable Base</b>	<b>€500</b> <i>1.0m</i> GRD-DLT-BASE	additional length <b>€45</b> /0.25m GRD-DLT-LEN
<b>Alpha Ground Cable Base</b>	<b>€675</b> <i>1.0m</i> GRD-ALP-BASE	additional length <b>€60</b> /0.25m GRD-ALP-LEN
<b>Sigma Ground Cable Base</b>	<b>€850</b> <i>1.0m</i> GRD-SIG-BASE	additional length <b>€75</b> /0.25m GRD-SIG-LEN
<b>Omega Ground Cable Base</b>	<b>€1.350</b> <i>1.25m</i> GRD-OMG-BASE	additional length <b>€120</b> /0.25m GRD-OMG-LEN

### STIS v3 Terminal

Note: Extra or replacement STIS terminals may be purchased individually.

<b>STIS v3 Terminal Spade 6-8mm</b>	<b>€70</b> <i>ea</i> TM-STIS/SP-V3	Combo spades accept a range of post diameters from 6 millimeters to 8 mm.
<b>STIS v3 Terminal Spade 4-6mm</b>	<b>€50</b> <i>ea</i> TM-STIS/CSP-V3	Combo spades accept a range of post diameters from 4 millimeters to 6 mm.
<b>STIS v3 Terminal Banana</b>	<b>€60</b> <i>ea</i> TM-STIS/BN-V3	
<b>STIS v3 Terminal Ring Spade</b>	<b>€60</b> <i>ea</i> TM-STIS/RG-V3	



## Grounding Products

### VTX Ground Tail















VTX Ground Tails are made from exclusive flexible hollow tubes. OFE Copper.

<b>VTX RCA Ground Tail</b>	<b>€430</b> TL-VTX-RCA			Length: 4" (101mm)
<b>VTX XLR/F Ground Tail</b>	<b>€430</b> TL-VTX-XLR/F			Length: 4" (101mm)
<b>VTX XLR/M Ground Tail</b>	<b>€430</b> TL-VTX-XLR/M			Length: 4" (101mm)
<b>VTX BNC Ground Tail</b>	<b>€430</b> TL-VTX-BNC			Length: 4" (101mm)
<b>VTX Ethernet Ground Tail</b>	<b>€430</b> TL-VTX-ETH			Length: 4" (101mm)
<b>VTX USB/A Ground Tail</b>	<b>€430</b> TL-VTX-USB/A			Length: 4" (101mm)
<b>VTX USB/B Ground Tail</b>	<b>€430</b> TL-VTX-USB/B			Length: 4" (101mm)

**Note:** See length of interconnects from pg 12 for graphic reference.

### VTX-Ag Ground Tail

VTX-Ag Ground Tails are made with a pure silver core and a concentric conductor of OFE copper.

<b>VTX-Ag RCA Ground Tail</b>	<b>€500</b> TL-AG-RCA			Length: 4" (101mm)
<b>VTX-Ag XLR/F Ground Tail</b>	<b>€500</b> TL-AG-XLR/F			Length: 4" (101mm)
<b>VTX-Ag XLR/M Ground Tail</b>	<b>€500</b> TL-AG-XLR/M			Length: 4" (101mm)
<b>VTX-Ag BNC Ground Tail</b>	<b>€500</b> TL-AG-BNC			Length: 4" (101mm)
<b>VTX-Ag Ethernet Ground Tail</b>	<b>€500</b> TL-AG-ETH			Length: 4" (101mm)
<b>VTX-Ag USB/A Ground Tail</b>	<b>€500</b> TL-AG-USB/A			Length: 4" (101mm)
<b>VTX-Ag USB/B Ground Tail</b>	<b>€500</b> TL-AG-USB/B			Length: 4" (101mm)
<b>AC Wall Plug Ground Adapter</b>	<b>€200</b> ACC-AC/EU			

**Note:** Ground Tails are interchangeable and can be used with any model of Base Ground Cable.

**AC plugs available in US, EU, and UK versions.**



www.lpaudio.it - info@lpaudio.it



## SERIE GAMMA

### POWER CABLES

Item	Length	Part #	Retail	Extra Length
Gamma NR C15	1.75M	PC-GAM/NR-EU/C15	€900,00	€45,00 /0.25m
Gamma NR C19	1.75M	PC-GAM/NR-EU/C19	€900,00	€45,00 /0.25m
Gamma XC C15	1.75M	PC-GAM/XC-EU/C15	€900,00	€45,00 /0.25m
Gamma XC C19	1.75M	PC-GAM/XC-EU/C19	€900,00	€45,00 /0.25m

### INTERCONNECTS

Item	Length	Part #	Retail	Extra Length
Gamma RCA	1.00M	IC-GAM-RCA-100	€600,00	€60,00/0.25m
Gamma XLR	1.00M	IC-GAM-XLR-100	€750,00	€63,00/0.25m
Gamma Phono	1.00M	IC-GAM-PHO-100	€750,00	€68,00/0.25m

### SPEAKER CABLES

Item	Length	Part #	Retail	Extra Length
Gamma Speaker Cable	2.50M	SP-GAM-250	€1.500,00	€72,00 /0.25m
Gamma Bi Wire	2.50M	SP-GAM/BI-250	€1.800,00	€72,00 /0.25m
Gamma Jumper	0.25M	SP-GAM-JMP-025	€450,00	€72,00 /0.25m
Gamma STISV3	2.50M		€2.100,00	€100,00/0.25m

### DIGITAL CABLES

Item	Length	Part #	Retail	Extra Length
Gamma AES	1.00M	DI-GAM-AES-100	€450,00	€42,00 /0.25m
Gamma SPDIF	1.00M	DI-GAM-SDF-100	€400,00	€38,00/0.25m
Gamma Clock 75	1.00M	DI-GAM-CLC/75-100	€500,00	€45,00 /0.25m
Gamma Ethernet	1.50M	DI-GAM-ETH-150	€500,00	€45,00 /0.25m
Gamma USB	1.50M	DI-GAM-USB-150	€500,00	€45,00 /0.25m

### GROUNDING CABLES

Item	Length	Part #	Retail	Extra Length
Gamma CGC	1.00M	GRD-GAM-100	€350,00	€26,00/0.25m



[www.lpaudio.it](http://www.lpaudio.it) - [info@lpaudio.it](mailto:info@lpaudio.it)





## SERIE THETA

### POWER CABLES

Item	Length	Part #	Retail	Extra Length
Theta NR C15	1.75M	PC-THT/NR-EU/C15	€1.500,00	€68,00/0.25m
Theta NR C19	1.75M	PC-THT/NR-EU/C19	€1.500,00	€68,00/0.25m
Theta XC C15	1.75M	PC-THT/XC-EU/C15	€1.500,00	€68,00/0.25m
Theta XC C19	1.75M	PC-THT/XC-EU/C19	€1.500,00	€68,00/0.25m

### INTERCONNECTS

Item	Length	Part #	Retail	Extra Length
Theta RCA	1.00M	IC-THT-RCA-100	€1.500,00	€120,00/0.25m
Theta XLR	1.00M	IC-THT-XLR-100	€1.750,00	€128,00/0.25m
Theta Phono	1.00M	IC-THT-PHO-100	€1.600,00	€128,00/0.25m

### SPEAKER CABLES

Item	Length	Part #	Retail	Extra Length
Theta Speaker Cable	2.50M	SP-THT-250	€3.000,00	€115,00/0.25m
Theta Bi Wire	2.50M	SP-THT/BI-250	€3.350,00	€115,00/0.25m
Theta Tri Wire	2.50M	SP-THT/TRI-250	€3.750,00	€115,00/0.25m
Theta Jumper Cable	0.25M	SP-THT-JMP-025	€575,00	€115,00/0.25m

### DIGITAL CABLES

Item	Length	Part #	Retail	Extra Length
Theta AES	1.00M	DI-THT-AES-100	€900,00	€75,00/0.25m
Theta SPDIF	1.00M	DI-THT-SDF-100	€800,00	€68,00/0.25m
Theta Clock 75	1.00M	DI-THT-CLC/75-100	€1.000,00	€87,00/0.25m
Theta Clock 50	1.00M	DI-THT-CLC/50-100	€1.200,00	€105,00/0.25m
Theta Ethernet	1.50M	DI-THT-ETH-150	€750,00	€45,00/0.25m
Theta USB	1.50M	DI-THT-USB-150	€1.000,00	€90,00/0.25m

### GROUNDING CABLES

Item	Length	Part #	Retail	Extra Length
Theta CGC	1.00M	GRD-THT-100	€450,00	€32,00/0.25m



[www.lpaudio.it](http://www.lpaudio.it) - [info@lpaudio.it](mailto:info@lpaudio.it)





## SHUNYATA RESEARCH

26273 Twelve Trees Lane  
Poulsbo, Washington 98370

360 598 9935

[www.shunyata.com](http://www.shunyata.com)

LPAUDIO

[www.lpaudio.it](http://www.lpaudio.it) - [info@lpaudio.it](mailto:info@lpaudio.it)